Minutes of the Meeting held at Memorial Hall, Sparsholt on Thursday 17th October 2019

Cllr Sue Wood (Chairman)	Р
Cllr Stewart Wooles (Vice Chairman)	Р
Cllr Sue Annesley	Р
Cllr Pete Chadwick	
Cllr John Cooper	Р
Cllr John Little	Р
Cllr Andrew Osmond	Р
Cllr Nigel Reid	
Cllr Sue Wakefield	Р

P = present at the meeting

In attendance Jill Judge Clerk

19/20 – 046 To receive apologies and approve reasons for absence

Apologies were received and accepted from Cllr Chadwick and Cllr Reid.

19/20 – 047 Declarations of Pecuniary Interests (DPI's) and Other Significant Interests (OSI's) from members concerning specific items on the agenda.

Cllr Cooper's home was the The House at Pooh Corner – ref planning 19/20 055 Cllr Wood was a neighbour of Locks Lane House – ref planning 19/20 055

19/20 – 048 Minutes of Meeting of 19th September 2019

To approve and sign the minutes

The minutes had previously been circulated and were approved and signed by Cllr Wooles.

To deal with any matters arising not on the agenda

19/20 044 It had been established that grant funding may be available for the village footpaths map noticeboard that was to be mounted on the back of the main parish and community noticeboard. As these were two separate boards the order for the main noticeboard would be placed with Greenbarnes as agreed. A meeting had been arranged with Adam Macey, Community Engagement Ranger to discuss the grant application process.

19/20 040 As noted in Cllr Wooles Highways report the installation of a Speed Limit Reminder was being investigated. This would be shared with other parishes, on an initial one-year contract, and placed at appropriate sites on a rotational basis. Cllr Wooles and the clerk had met with Ian Janes of Hampshire County Council and identified provisional sites. An application was being prepared to ensure suitability and subsequent licence of these locations. A full report would be provided at November's meeting. Action: Clerk 19/20 043 See Planning below – Village Design Statement

19/20 – 049 Public Participation

There were no members of the public present at the meeting.

The Chair, however, highlighted an email received about the defibrillator (after publication of the agenda) and concerns that the cabinet was locked and in order to access this a call to the emergency services was required. This had previously been raised 19/20 - 012 and the Resuscitations/British Heart Foundation protocol highlighted which says

If you come across someone who is unconscious, unresponsive, not breathing or not breathing normally, they're in <u>cardiac arrest</u>. The most important thing is to call 999 and <u>start CPR</u> to keep the blood flowing to the brain and around the body. After a cardiac arrest, every minute without CPR and defibrillation reduces someone's chance of survival by 10 per cent. If you're on your own, don't interrupt the CPR to go and get a defibrillator. If it's possible, send someone else to find one. When you call 999, the operator can tell you if there's a public access defibrillator nearby.

The Chair would write to the parishioner accordingly and it was suggested that signs be placed on noticeboards and a reminder placed in the next newsletter to alert all to this protocol. Action: Clir Wood

19/20 – 050 Minutes of Meeting of 18 July 2019 which are not on the agenda

19/20 028 Cllr Cooper was continuing to pursue a local contractor to arrange repair of bottom boards of fencing at the playground. Action: Cllr Cooper

Signed		Date
--------	--	------

SPARSHOLT PARISH COUNCIL – MINUTES 17TH OCTOBER 2019

19/20 – 051 Potholes on Bridleways – establishing responsibility for repair – update from Chair

Cllr Woods and the Clerk had met Abby Sullivan, Senior Countryside Access Ranger on 24th September to discuss and clarify.

Bridleways are for walking, horse riding and cycling and HCC is responsible for ensuring the surface is maintained to the standard required for these activities. If sections of a bridleway are being used for vehicular access and not up to vehicle standard but are commensurate of a rural bridleway HCC will not look to carry out any works. If householders/landowners look to carry out additional maintenance above and beyond the public bridleway standard this should be agreed with HCC who can assist in providing guidance on appropriate standards for surfacing.

Cllr Wood would contact the Cricket Club who had raised the original query with this clarification.

Action: Cllr Wood

19/20 – 052 Village Clean Up – Review of October's clean up by Chair

The Chair (the only councillor present at the event) reported that twelve people had attended the Village Clean Up. The next Clean Up would take place in the Spring and it was suggested that a separate flyer be produced to accompany March's Newsletter to publicise this event. In addition, handouts of areas to be "cleaned up" by individuals taking part on the day may be helpful. Cllr Little agreed to discuss with Richard Summerfield the organiser how we could improve communications for the event. Action: Cllr Little

19/20 – 053 Ham Green – Review and Approval of Ham Green Commons Association Constitution

The Constitution had been reviewed and updated and was discussed and approved by conservation group members including portfolio representative, Cllr Chadwick, at a meeting on 15th October. Cllr Little explained updates and the amended Constitution was unanimously agreed and adopted. **Action: Clerk**

19/20 – 054 To receive an update from the Anaerobic Digester Working Group

Ecotricity had completed all the pre commencement conditions requirements relating to the Access Area meaning that work could commence on the new access road. Cllr Wood would contact the case office, Steve Cornwell, to ask to be informed of any site visit.

19/20 – 055 To review and comment on planning applications

New Applications

_				
Date	Number	Location	Details	
Received				
07/10/2019	19/02199/TPO	St Stephens	Sycamore (T1) Prune back sw side of	29 Oct
		Church	canopy back by 1-2m to stop further	
		Church Lane	encroachment over garden. With a	
		Sparsholt	maximum pruning diameter of 50mm	
With the chur	rch a listed building it		nbers of the planning group would visit the	site and
		mail Action: Planning		ono ana
07/10/2019	19/02191/TPC	The Lodge	Plum has advance canker – lots of	
0171072010		Home Lane	evidence of gummosis and lesions and	
		Sparsholt	little foliage	
		oparonon	Pear lots of dead canopy: growing into	
			healthy apple tree adjacent.	
			Risk of fire blight.	
			Wish to fell both trees.	
This tree ann	lication was noted a	nd had been annrover	d since preparation of the agenda.	
01/10/2019	19/02142/TPC	Clareholme	Removal of two yew trees	
01/10/2013	13/02142/11 0	Church Lane	itemoval of two yew trees	
Adiagont to th	na ahurah it waa aar	·····	maritad a alagar look and report book to a	ll agungillarg
	ion: Planning Grou		merited a closer look and report back to a	il counciliors
30/09/2019	19/02072/TPC	Locks Lane House	Trees opposite the entrance of Locks	
00/00/2010	15/02012/11 0	Locks Lane	House T1 Ash tree Fell T2 Sycamore	
		Sparsholt	Fell T3 Hawthorn Fell	
This tree application was noted and had been approved since preparation of the agenda.				
19/09/2019	19/02053/HOU	3 Westley	Two storey side extension with car port,	14 Nov
		Cottages	first floor extension to the rear, single	
		Hillside Road	storey extension to the front, new	
			external porch to front and alterations to	
			existing façade treatment	

SignedDate.....

SPARSHOLT PARISH COUNCIL – MINUTES 17TH OCTOBER 2019

Action: Plan		4.147 (1		10.11
18/09/2019	19/02043/HOU	4 Westley	Two storey extension	13 Nov
		Cottages		
		Hillside Road		
It was agreed	d that members of th	ne planning group wou	Ild visit the site and report back to all coun	cillors
Action: Plan	ning Group			
16/09/2019	19/02015/LDC	Greenacre	Caravan Site	
		Caravan Park		
		Stockbridge Road		
It was agree	ed that the Parish		ate its comment made on 30 July 201	7 relating to
17/01761/LD	C "In our view Cond	lition 1 is clear and una	ambiguous and enforceable. The only issu	e is therefore
			or more. This is a question of fact to whi	
know the ans	swer" and add "We			
		note that evidence that	at condition 1 had not been breached for	
provided by \	NCC and was acce		at condition 1 had not been breached for	
provided by \ Action: Cler	NCC and was acce	note that evidence that	at condition 1 had not been breached for appeal."	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a	at condition 1 had not been breached for appeal."	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a	at condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a The House At Pooh Corner	at condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a The House At Pooh Corner	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple –	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a The House At Pooh Corner	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple – reduce in height and girth as interfering	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a The House At Pooh Corner	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple – reduce in height and girth as interfering with overhead mains electricity supply	10 years was
provided by \ Action: Cler	NCC and was acce _l <u>k</u>	note that evidence the oted as correct at the a The House At Pooh Corner	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple – reduce in height and girth as interfering with overhead mains electricity supply cable. Elm – remove as dead and could	10 years was
provided by I <u>Action: Cler</u> 13/09/2019	WCC and was acce, <u>k</u> 19/02000/TPC	note that evidence that oted as correct at the a The House At Pooh Corner Home Lane	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple – reduce in height and girth as interfering with overhead mains electricity supply cable. Elm – remove as dead and could fall and block Woodman Lane.	10 years was
provided by N <u>Action: Cler</u> 13/09/2019 Since prepar	WCC and was acce, k 19/02000/TPC ation of the agenda	note that evidence that oted as correct at the a The House At Pooh Corner Home Lane this application had be	At condition 1 had not been breached for appeal." Species fir – remove as growing too tall and causing structural damage to garden retaining wall. Re – plant with smaller native tree. Field Maple – reduce in height and girth as interfering with overhead mains electricity supply cable. Elm – remove as dead and could fall and block Woodman Lane. een approved.	10 years was
provided by \ <u>Action: Cler</u> 13/09/2019 Since prepar	WCC and was acce, <u>k</u> 19/02000/TPC	note that evidence that oted as correct at the a The House At Pooh Corner Home Lane this application had be Inglenook	at condition 1 had not been breached for appeal."Species fir - remove as growing too tall and causing structural damage to garden retaining wall. Re - plant with smaller native tree. Field Maple - reduce in height and girth as interfering with overhead mains electricity supply cable. Elm - remove as dead and could fall and block Woodman Lane.een approved.Demolishexistingconservatory,	10 years was
provided by N <u>Action: Cler</u> 13/09/2019 Since prepar	WCC and was acce, k 19/02000/TPC ation of the agenda	note that evidence that oted as correct at the a The House At Pooh Corner Home Lane this application had be	at condition 1 had not been breached for appeal."Species fir - remove as growing too tall and causing structural damage to garden retaining wall. Re - plant with smaller native tree. Field Maple - reduce in height and girth as interfering with overhead mains electricity supply cable. Elm - remove as dead and could fall and block Woodman Lane.een approved.Demolishexisting storey wrap	10 years was
provided by \ <u>Action: Cler</u> 13/09/2019	WCC and was acce, k 19/02000/TPC ation of the agenda	note that evidence that oted as correct at the a The House At Pooh Corner Home Lane this application had be Inglenook	at condition 1 had not been breached for appeal."Species fir - remove as growing too tall and causing structural damage to garden retaining wall. Re - plant with smaller native tree. Field Maple - reduce in height and girth as interfering with overhead mains electricity supply cable. Elm - remove as dead and could fall and block Woodman Lane.een approved.Demolishexistingconservatory,	10 years was

Current Applications

Date	Number	Location	Details	
Received				
04/09/2019	19/01907/TPC	Clareholme Church Lane	T2 Fir tree reduce longer lateral limbs over drive on by 1-2m to prevent risk of failure and reduce debris falling on cars.	
Since preparation of the agenda this application had been approved.				
24/06/2019	19/01386/TPO	Land at Harestock Corner Salters Lane	Trees of whatever species - Prune back any branches (up to max 75mm diameter) overhanging or likely to cause nuisance to overhead utility cables to provide 2m clearance. Start pole DP309 - Finish Pole CP5A as indicated on plan (BVL318 - dated 24/06/2019)	

Recent Decisions

Date Received	Number	Location	Details	
22/07/2019	19/01587/FUL	Warren View Dean Lane	Extensions and associated alterations to existing dwelling	Application permitted

SignedDate.....

25/07/2019	19/01624/FUL	Crabwood Lodge Sarum Road	Change condition 2 for changes to external materials, position of the house and window positions on north and south elevations only	Application permitted

To note any enforcement matters

Noted

To note WCC "new, improved pre-planning application service"

This had been announced on WCC's website. The service aimed to save applicants time and improve the quality of planning applications received speeding up decision making. Fees would be payable depending on the complexity of the proposal.

Village Design Statement

Minute 19/20 043 reported that application 19/00585/HOU had been permitted by the Planning Committee on 12th September. Councillors were concerned that Village Design Statement (VDS) guidance had not been fully considered in reaching this decision. Further there appeared to be a lack of consistency in how the VDS guidelines had been applied when compared to recent applications. It was agreed that a formal complaint would be made to WCC to this effect.

Action: Planning Group/Chair

19/20 - 056**Governance & Policies**

Review and Adopt Complaints Procedure a.

This had been redrafted to include an appeals process. The Complaints procedures was agreed by all and adopted. Action: Clerk

Introduction and adoption of Health & Safety Policy b. The clerk had commenced drafting and discussion of the areas to be covered took place.

Action: Clerk

Since publication of the agenda two trees had fall across a footpath at Ham Green. Whilst each was resting in other trees on the opposite side of the footpath action was needed to remove them. Warning signs had been placed on the path to warn users. A quote of £300 plus VAT had been obtained and it was agreed that this work should be completed. Action: Clerk

It was noted that the proposed date for consultation event for the affordable housing site was 7th November from 3pm to 8pm. Formal notification was to follow, and councillors asked to attend if possible.

The meeting closed at 8.45pm Next meeting 21st November 2019

SignedDate.....